

Please print or type. Form designed for use on elite (12-pitch typewriter).

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Company 19503 S. Normandie Avenue Torrance, CA 90503		Attn: R. Tuell MC: C6-59		A. State Manifest Document Number 90411895	
4. Generator's Phone (310) 533-7926 or (310) 533-7231				B. State Generator's ID HAH036005698	
5. Transporter 1 Company Name United Pumping Service, Inc.		6. US EPA ID Number CAD072953771		C. State Transporter's ID 063-70849	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone (818) 961-9326	
9. Designated Facility Name and Site Address Norris Industries 5215 S. Boyle Avenue Los Angeles, CA 90024		10. US EPA ID Number CAD097030993		E. State Facility's ID C/D097030993	
				F. Facility's Phone (213) 588-7111	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, Waste Sodium Hydroxide Solution, Corrosive Material, UN 1824 (0002)		001	T.T. 42850	P	State 122 EPA/Other 0002
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other
J. Additional Descriptions for Materials Listed Above a) Waste Aluminum Chem Mill Solution from Tank 259, Norris ID# E0106200005AK Sodium Hydroxide 0-12%, Sodium Aluminate 0-5%, Sodium Sulfide 0-4%, Triethanolamine 0-2%, Water 75-100%		K. Handling Codes for Wastes Listed Above a. 15		b.	
15. Special Handling Instructions and Additional Information In case of accident, contact Chemtrec at 800-424-9300. Do not breathe vapors. Do not wash into sewer or waterway. If unable to deliver, return to generator. DOT Emergency Response Guide #60. Norris should bill United Pumping for disposal. United will bill Douglas.		c.		d.	
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Robert G. Tuell, Jr.		Signature Robert G. Tuell, Jr.		Month Day Year 08 26 93	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name Salvador Aguilar		Signature Salvador Aguilar		Month Day Year 08 26 93	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name BI TIN VELASCO		Signature Bi Tin Velasco		Month Day Year 08 26 93	

90411895
USE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

FACILITY

LAND DISPOSAL RESTRICTION NOTIFICATION

Generator Name: Douglas Aircraft Company EPA ID Number: CAD086510005Manifest Number: 11895/90411895 Date of Shipment: 08/26/93Indicate Waste Line Item (11): (a)

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and/or federal regulations.

RCRA Land Disposal NotificationCalifornia List Wastes Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

- ☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Metals Recovery Stabilization

(check those that apply)

- | | |
|--|-------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As) | 5.0 mg/L; |
| <input type="checkbox"/> Barium and/or compounds (as Ba) | 100.0 mg/L; |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd) | 1.0 mg/L; |
| <input type="checkbox"/> Chromium (VI and/or compounds as Cr VI) | 5.0 mg/L; |
| <input type="checkbox"/> Lead and/or compounds (as Pb) | 5.0 mg/L; |
| <input type="checkbox"/> Mercury and/or compounds (as Hg) | 0.2 mg/L; |
| <input type="checkbox"/> Selenium and/or compounds (as Se) | 1.0 mg/L; |
| <input type="checkbox"/> Silver and/or compounds (as Ag) | 5.0 mg/L; |

- ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L. HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☒ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE. Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Print Name Robert G. Tuell, Jr.Title Senior Plant EngineerDate 08-26-93Signature Robert G. Tuell, Jr.

(310) 533-7926

Telephone Number

Waste Requires Treatment

- ☒ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where no treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.

Waste Treated to Performance Standards

- ☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Waste Subject to Variance

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

WEIGHT TICKET

VENDOR: UNITED PUMPING SERVICE

GROSS 77970 P

TRUCK # 16-718

TARE 35120 P

DATE: 8-26-93

NET 42850 P

CONTENTS: Tank 259

DISPOSAL FACILITY: Norris

DRUM COUNT

DRIVER: Schuster

GALLONS

STATE MANIFEST DOCUMENT NUMBER: 11895/90411895



UNITED PUMPING SERVICE, INC. FIELD WORK ORDER

35893

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734

PAGE 1 OF 1

CUSTOMER/ADDRESS	
DOUGLAS TORRANCE	
19503 S NORMANDIE AV	
TORRANCE CA 90502	
PHONE NO	CONTACT
(310) 533-1926	
LOCATION	
HAZ MAT YARD	

DATE WORK PERFORMED:
8-26-93
DATE OF THIS REPORT:
TIME CALL RECEIVED:
CONTRACT NO.:
LOSS REPORT NO./P.O. NO.

SCOPE OF WORK
PUMPED OUT HAZARDOUS WASTE LIQUID
FROM TANK # 259

EQUIPMENT: TYPE	EQUIPMENT NO.	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
VAC TRUCK	16/18	SALIDA	1130	1230 PM	1445				

PERSONNEL: NAME	TITLE	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS

DISPOSAL: MANIFEST NO.	DISPOSAL SITE	QTY	UNIT
90-11895	MORRIS LAND	1600	GALS.

CONSUMABLE: TYPE	QTY	TYPE	QTY

ADDITIONAL INFORMATION

SIGNED Robert G. T. Wall, Jr.
CUSTOMER'S COPY

REQUEST FOR FACILITIES MATERIAL

Serial No.

219078

☐ **EMERGENCY (JUSTIFICATION)**

CRITICAL

☐ ROUTINE

Requested By <i>R. Inell</i>		Employee No. 330487		Phone 533-726		Date 9/8/93		Dept. C6-434		Bldg & Column		Benefiting Dept. C1-G6C	
Acct. No./CCN FD8200AF				PEMO/Source		Maint Work Order/ARO				Date Material Required Complete			
Item	Qty	O/U	Vendor Part No.			Description/Manufacturing					Unit Price	P/U	
01	01	J	invoice 39440			Service of 8/26/93							
			w/o: 35893										
			manifest										
			90411895										
JUSTIFICATION			Suggested Supplier					SUBTOTAL 6853.					
			<i>United Pumping</i>					TAX					
								TOTAL					
			MATERIAL FOR					AUTHORIZED SIGNATURES					
			Machine/Equipment					Teal's order Date					
			Model/Manufacturer					Robt J. Inell 09-08-93 Stockroom Cord. Date					
			Serial No.					Group Leader Date					
Deliver To			Size/Type					Business Unit Manager Date					
Bldg.	Column	Dept.	DAC/Control Number					Bldg/Column		BO&A Group Leader Date			
Name		Ext.	<input type="checkbox"/> DISTRIBUTION					G N 9/8 AM PM		Assigned To Reassigned To			
GPOS BUSINESS OPERATIONS & ACQUISITION ONLY										ANALYST			
Supplier 89298039			Work Order No.					Name Kelly Date 9/8/93					
Supplier Name/Address United Pumping			Purchase/Contract No. 25652-F6452					Expected Shipment Date					
Phone No.			CCN FD8200AF					Ship Location					
Supplier Contact Bob			Acct No. 6820					VIA V.T.					
			Chg to Dept C1-G6C					PEMO/Source		FOB Dest.			

DISTRIBUTION: White, Canary and Green - GPOS Business Operations & Acquisition; Pink - Originator



UNITED PUMPING SERVICE, INC.

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734 SALES
FAX (818) 961-3799 OPERATIONS

INVOICE

39440

DOAI2

SOLD TO:

Douglas Aircraft
19503 So. Normandie, C-6-711
Attn: Polly Dini, C6-13
Torrance, CA 90502

JOB SITE:

Douglas Aircraft
Hazmat Yard

DATE

NO. OF TONS

MANIFEST NO.

TERMS

08/31/93

90411895

net 30

PURCHASE ORDER NO.

ORDER DATE

SALESPERSON

WORK ORDER NO.

S&S25652-F6452

08/26/93

BP

35893

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
1.00 Load 929	Trans. to Norris, Vernon	414.00	414.00
	120 BBLS Stainless Steel		
1.00 Load 700	Disposal Fee:	5,862.02	5,862.02
1.00 Each 701	Disposal Service Charge:	410.35	410.35
1.00 Each 702	Washout Fee	150.00	150.00
0.25 Hrs. 710	Additional loading time:	69.00	17.25

DIRECT DELIVERY SHIPMENT

Material Accepted As Listed

Exceptions Noted:

C. M. Magan

Authorized Signature

Employee Number 25531

Dept. # 710 Date 8/26/93

TOTAL AMOUNT DUE

\$ 6,853.62

OK to Pay:

Robert Inell

6330487

09/08/93



UNITED PUMPING SERVICE, INC.

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734

FIELD WORK ORDER

35893

DDAI 2

BP

PAGE 1 OF 1

CUSTOMER/ADDRESS	
DOUGLAS TORRANCE	
1950 S. NORMANDIE AV	
TORRANCE CA 90502	
PHONE NO	CONTACT
(310) 533-1926	
LOCATION	
HAZ MAT YARD	

DATE WORK PERFORMED:
8-26-93
DATE OF THIS REPORT:
TIME CALL RECEIVED:
CONTRACT NO:
LOSS REPORT/NO. P. O. NO.
SS 25652-F10452

SCOPE OF WORK
PUMPED OUT HAZARDOUS WASTE LIQUID
FROM TANK # 259

EQUIPMENT TYPE	EQUIPMENT NO.	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
TRUCK	16418	SAL-A	11:30 AM	12:30 PM	1:45 PM				2.25
		OFFLOAD		1:25 PM	1:30 PM				1

PERSONNEL NAME	TITLE	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS

DISPOSAL MANIFEST NO.	DISPOSAL SITE	QTY	UNIT
90411895	NORRIS 1ND	4600	EALS

CONSUMABLE TYPE	QTY	TYPE	QTY

ADDITIONAL INFORMATION

U.P.S.I. WASHOUT

SIGNED

Robert G. Twell, Jr.

INVOICE COPY

BOE-C6-0205343

NORRIS Environmental Services

5215 S. BOYLE AVE. - P.O. BOX 58507
LOS ANGELES, CALIFORNIA 90058
(213) 588-7111 FAX (213) 588-0094

I N V O I C E

BILL TO:

INVOICE NO: E21654

UNITED PUMPING SERVICE, INC.
14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY CA 91746

CONTACT: Accounts Payable

This amount is for current charges.
Please pay the amount listed below. All
past due amounts will bear interest at
1 & 1/2 percent per month or the maximum
rate allowed by law, whichever is less.

CUSTOMER NUMBER: 08004

GENERATOR:

GENERATOR'S CUST. NO.: 01062

DOUGLAS AIRCRAFT COMPANY-TORRANCE
19503 SOUTH NORMANDIE AVE., MAIL CODE C6-59
TORRANCE CA 90502-0000

CUSTOMER P.O. NUMBER:

INVOICE DATE: 8/27/93

TERMS: 2/10 Net 30.

Payment Due Date: 9/26/93

MANIFEST NUMBER: 90411895

GENERATOR EPA ID#: CAD086510005

TRANSPORTER'S EPA ID#: CAD072953771

ITEM	RECEIPT DATE	PROFILE NO.	QTY	U/M	UNIT PRICE	EXTENDED PRICE
A	8/26/93	E0106200005	4468	G	1.60	7,148.80

SUBTOTAL 7,148.80

LESS DISCOUNT (IF ANY) - 1,286.78

PLEASE REMIT THIS AMOUNT 5,862.02

NI INDUSTRIES, INC. - NORRIS DIVISION
5215 S. Boyle Avenue, Los Angeles, California 90058

PLEASE FORWARD PAYMENT TO:

File # 53496

Los Angeles, CA 90074-3496

Federal ID #: 94-2780715

Please print or type. Form designed for use on elite (12-pitch typewriter).

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Douglas Aircraft Company 19503 S. Normandie Avenue Torrance, CA 90502		4. Generator's Phone (310) 533-7926 OR (310) 533-7231		A. State Manifest Document Number 90411895		
5. Transporter 1 Company Name United Pumping Service, Inc.		6. US EPA ID Number CA D 072953771		B. State Generator's ID H A H Q 36005698		
7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID 063-408442		
9. Designated Facility Name and Site Address Norris Industries 5215 S. Boyle Avenue Los Angeles, CA 90058		10. US EPA ID Number CA D 097030993		D. Transporter's Phone (818) 961-9326		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) a. RQ, Waste Sodium Hydroxide Solution, Corrosive Material, UN 1824 (D002)		12. Containers No. Type 0 0 1 T T		13. Total Quantity 42850	14. Unit P Wt/Vol	15. Waste No. State 122 EPA/Other D002
b.						State EPA/Other
c.						State EPA/Other
d.						State EPA/Other
J. Additional Descriptions for Materials Listed Above a) Waste Aluminum Chem Mill Solution from Tank 259. Norris ID #: E0106200005AK Sodium Hydroxide 0-12%, Sodium Aluminate 0-5%, Sodium Sulfide 0-4%, Triethanolamine 0-2%, Water 79-100%		K. Handling Codes for Wastes Listed Above a.		b.		
16. Special Handling Instructions and Additional Information In case of accident contact Chemtrec at 800-424-9300. Do not breathe vapors. Do not wash into sewer or waterway. If unable to deliver, return to generator. DOT Emergency Response Guide #60. Norris should bill United Pumping for disposal, United will bill Douglas.		c.		d.		
GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Robert G. Tuell, Jr.		Signature Robert G. Tuell, Jr.		Month Day Year 08 26 93		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Salvador Aguilar		Signature Salvador Aguilar		Month Day Year 08 26 93		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name B1 Tin Velasco						
Signature B1 Tin Velasco		Month Day Year 08 26 93				

Do Not Write Below This Line

UNITED PUMPING SERVICE, INC.

14016 E. VALLEY BLVD.

CITY OF INDUSTRY, CA 91746

PHONE: 818/961-9326

FAX: 818/961-3799

WASHOUT CERTIFICATE

Tank No. I-18 Manifest No. 90411895

Generator: Douglas Aircraft Co.

Waste Description: Sodium Hypoxide

Corrosive Material

Date: 8/20/93 Driver: Salvador G. Lopez

